

Internet Mail Options ? X

General Receiving (POP3) Sending (SMTP) Dialling

Check these POP3 hosts for mail

Bob's Incoming RR Mail	Add...
Bob's Incoming Gmail (OAUTH2)	Edit...
Bob's Cox Mail from Yahoo	Remove
	Disable
	▲ ▼

Polling controls

Check for new POP3 mail every:  seconds ☐ idle

☒ Check whenever the new mail folder is opened

Checking multiple identities

☐ When checking for mail, perform checks for all identities

☐ Don't check this identity when checking multiple identities

OK Cancel Help

Settings for retrieving mail (POP3) ? X

General Security Download controls

Enter a name for this definition

Bob's Incoming RR Mail

General settings for receiving mail via POP3

Server host name: mail.twc.com

User name: [REDACTED]@rochester.rr.com

Password: [REDACTED]

Optional and advanced settings for receiving mail

Server TCP/IP port: 995 Timeout: 120 seconds

☐ Count messages when checking, but don't download them

☒ Delete mail on server once it has been successfully retrieved

Scheduling

Check no more frequently than once every 0 minutes

OK Cancel Help

Settings for retrieving mail (POP3) ? X

General Security Download controls

SSL/TLS (encrypted data stream) settings

Use SSL/TLS security on this connection -

☐ Never ☐ Via STLS command ☒ Via direct SSL connect

☐ Enable server certificate fingerprint tracking

Current certificate [REDACTED]


☐ Disable certificate validation read help before using this option)

☐ Only use SSLv3 (needed for Mercury v4.74 and earlier servers)

Please read the help for an explanation of these options. In general, you should only use the "direct SSL" option if instructed to do so by your network manager or ISP.

APOP login control

APOP shared secret: [REDACTED]

 Connection security is an important, but complex area, and it is important that you understand the issues involved. Please read the help on this section carefully before using these options.

OK Cancel Help

Settings for retrieving mail (POP3) ? X

General Security Download controls

Message download controls

☐ Download only unread mail (i.e., new since the last connection)

During any connection, download at most  messages

Do not download any message larger than  bytes

Server-side mail filtering (uses POP3 filtering rule sets)

Filtering rule set:

---

Lines to retrieve from each message's body for

---

Default action for messages still present after filtering

☒ Download ☐ Leave on server ☐ Delete on server

Settings for retrieving mail (POP3) ? X

General Security Download controls

Enter a name for this definition

Bob's Incoming Gmail (OAUTH2)

General settings for receiving mail via POP3

Server host name: pop.gmail.com

User name: [REDACTED]@gmail.com

Password:

Optional and advanced settings for receiving mail

Server TCP/IP port: 995 Timeout: 120 seconds

☐ Count messages when checking, but don't download them

☒ Delete mail on server once it has been successfully retrieved

Scheduling

Check no more frequently than once every 0 minutes

OK Cancel Help

Settings for retrieving mail (POP3) ? X

General Security Download controls

SSL/TLS (encrypted data stream) settings

Use SSL/TLS security on this connection -

☐ Never ☐ Via STLS command ☒ Via direct SSL connect

☐ Enable server certificate fingerprint tracking

Current certificate


☐ Disable certificate validation read help before using this option)

☐ Only use SSLv3 (needed for Mercury v4.74 and earlier servers)

Please read the help for an explanation of these options. In general, you should only use the "direct SSL" option if instructed to do so by your network manager or ISP.

APOP login control

APOP shared secret:

 Connection security is an important, but complex area, and it is important that you understand the issues involved. Please read the help on this section carefully before using these options.

OK Cancel Help

Settings for retrieving mail (POP3) ? X

General Security Download controls

Message download controls

☐ Download only unread mail (i.e., new since the last connection)

During any connection, download at most  messages

Do not download any message larger than  bytes

Server-side mail filtering (uses POP3 filtering rule sets)

Filtering rule set:

Lines to retrieve from each message's body for

Default action for messages still present after filtering

☒ Download ☐ Leave on server ☐ Delete on server